

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	2412	((programmable logic)) with (computer) with (configur\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/26 16:53
S83	70	((programmable logic)) with (computer) with (configur\$8) with (user or automatic\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/26 16:53
S84	153	configur\$4 plc and computer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2010/07/26 17:01
S85	1970	configur\$4 device computer automatic\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:02
S86	120	(configur\$4 device computer automatic\$4) setting	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:02
S87	6	(configur\$4 device computer automatic\$4 setting) and (plc or (programmable adj logic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:03
S88	3	((configur\$4 near2 device) (user or client) automatic\$4 setting) and (plc or (programmable adj logic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:05

S91	407	((PLC or (program\$6 adj logic)) (device) (user or client or computer)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:16
S92	31	((PLC or (program\$6 adj logic)) (device) (user or client or computer) (network or ethernet or LAN or WAN or internet)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/26 17:16
S93	127	(configur\$8 near2 (portable or cell\$phone or (hand\$held adj device) or fascimile or (fax adj machine) or telephone or printer) (computer or terminal)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:33
S94	1	(configur\$8 near2 (portable or cell\$phone or (hand\$held adj device) or fascimile or (fax adj machine) or telephone or printer) (computer or terminal)).ti. and (PLC or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:34
S95	4	(configur\$8 (portable or cell\$phone or (hand \$held adj device) or fascimile or (fax adj machine) or telephone or printer) (computer or terminal)).ti. and (PLC or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:34
S96	36	(configur\$8 (portable or cell\$phone or (hand \$held adj device) or fascimile or (fax adj machine) or telephone or printer)).ti. and (PLC or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:36

S97	5191	(configur\$8 (portable or cell\$phone or (hand \$held adj device) or fascimile or (fax adj machine) or telephone or printer)) and (PLC or (programmable adj logic)) and (software or rules or GUI or wizard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:37
S98	53	((configur\$8 (portable or cell\$phone or (hand \$held adj device) or fascimile or (fax adj machine) or telephone or printer))(GUI or wizard)) and (PLC or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:37
S99	53	((configur\$8 (portable or cell\$phone or (hand \$held adj device) or fascimile or (fax adj machine) or telephone or printer))(GUI or wizard)) and (PLC or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 08:53
S101	0	((PLC or (programmable adj logic)) (HMI or (human \$1machine) or (MMI) or (Man adj machine)) (GUI or (graphical adj user))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:08
S102	6	((PLC or (programmable adj logic)) (GUI or (graphical adj user))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:08
S103	311	((PLC or (programmable adj logic)) (GUI or (graphical adj user)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:12
S104	1	((PLC or (programmable adj logic)) (GUI or (graphical adj user))) and (ftp and http and smtp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:13

S105	3	((PLC or (programmable adj logic)) (GUI or (graphical adj user))) and (ftp and http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:13
S106	16	((PLC or (programmable adj logic)) (tool or wizard)) and (ftp and http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 09:14
S107	2	((PLC or (program\$6 adj logic)) LAN (modem or router)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:37
S108	127	((PLC or (program\$6 adj logic)) (modem or router)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:37
S109	4	((PLC or (program\$6 adj logic)) (modem or router) configur\$8).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:38
S112	2422	(wizard (configur\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:51
S113	512	(wizard (configur\$8) (device or router or modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:51
S114	154	(wizard (configur\$8) near2 (device or router or modem))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:52
S115	154	(wizard ((configur\$8) near2 (device or router or modem)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:52
S116	89	(wizard ((configur\$8) near2 (device or router or modem))) and (controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 10:52

S117	0	((configur\$4 near2 device) (user or client) osi setting) and (plc or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:48
S118	1	((configur\$4 near2 device) osi setting) and (plc or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:48
S119	4	((configur\$4 near2 device) osi setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:49
S120	16	((configur\$4) osi setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:49
S121	8	(q\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:56
S122	457	(q adj address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:58
S123	5	(q adj address\$3) i/o	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 11:58
S124	96	(q adj address\$3) input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:00
S125	77	(q adj address\$3) input output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:00
S126	1	((PLC or (program\$6 adj logic)) (q adj address\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:19

S127	1	((PLC or (program\$6 adj logic)) same (q adj address\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:20
S128	30	((PLC or (program\$6 adj logic)) and (q adj address\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:20
S129	708	((PLC or (program\$6 adj logic)) and (identification index))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:27
S130	52	((PLC or (program\$6 adj logic)) and (identification adj index))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:27
S131	12	((programmable logic)) same (e\$1mail) same ftp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/07/27 12:33
S132	16	((PLC or (programmable adj logic)) (tool or wizard)) and (ftp and http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:34
S133	16	((PLC or (programmable adj logic)) (ftp and http))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:37
S134	16	((PLC or (programmable adj logic)) (ftp and http)) not S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:37
S135	14	((PLC or (programmable adj logic)) (ftp and http)) not S132	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:37
S136	5	wizard login ftp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 12:40

S137	8	(q\$1address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:19
S138	5453	(address\$3 or id or identification or index) adj (input/output or i/ o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:21
S139	337	(receiv\$4) near2 (address\$3 or id or identification or index) adj (input/output or i/ o)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:22
S140	0	((receiv\$4) near2 (address\$3 or id or identification or index) adj (input/output or i/ o)) same (plc or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:22
S141	18	((receiv\$4) near2 (address\$3 or id or identification or index) adj (input/output or i/ o)) and (plc or (programmable adj logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:22
S142	3906	((PLC or (programmable adj logic)) position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:27
S143	18	((PLC or (programmable adj logic)) logical position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:27
S144	43	((PLC or (programmable adj logic)) adj position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:28
S145	524	((number or count) adj (network adj connection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:33

S146	84	((number or count) adj (network adj connection) device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2010/07/27 14:33
S147	4650	709/220.ccls.	US-PGPUB; USPAT	OR	OFF	2010/07/27 15:35
S148	200	709/220.ccls. and wizard	US-PGPUB; USPAT	OR	OFF	2010/07/27 15:35
S149	10	709/220.ccls. and wizard and (plc or (logic adj controller))	US-PGPUB; USPAT	OR	OFF	2010/07/27 15:35
S150	52	(Siemens).as. and wizard	US-PGPUB; USPAT	OR	OFF	2010/07/27 15:37
S151	1	370/254.ccls. and ((configur\$6 with device) same plc) and (wizard or (help near2 utility))	US-PGPUB; USPAT	SAME	ON	2010/07/27 15:40
S152	1	370/254.ccls. and ((configur\$6 with device) same plc) and (wizard)	US-PGPUB; USPAT	SAME	ON	2010/07/27 15:40
S153	35	370/254.ccls. and (configur\$6 with device) and (wizard)	US-PGPUB; USPAT	SAME	ON	2010/07/27 15:41

7/ 27/ 2010 3:45:18 PM

C:\ Documents and Settings\ ebenoit\ My Documents\ EAST\ Workspaces\ 10781170.wsp